

## Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

IDENTITY (As Used on Label and List)  
Evacuator Tips

### Section I

(Polymer based professional dental product.)

DISTRIBUTED BY:

Henry Schein, Inc.

Address (Number, Street, City, State, and ZIP Code)  
135 Duryea Road

Melville, NY 11747

## U.S. Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072



Note: Blank spaces are not permitted. If any item is not applicable, or no  
information is available, the space must be marked to indicate that.

Emergency Telephone Number

CHEMTREC 1-800-424-9300

Telephone Number for Information

800-472-4346

Date Prepared

September 23, 1998

Signature of Preparer (optional)

### Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))

OSHA PEL

ACGIH TLV

Other Limits  
Recommended

% (optional)

The product is a proprietary  
combination of polymers,  
colorants, process aids, etc.

N/A

N/A

N/A

N/A

Any hazards associated with a  
particular ingredient have been  
eliminated due to encapsulation  
in a polymer matrix. The product is  
not considered a hazardous material  
according to the Federal Hazard  
communication Standard (29 CFR 1910.1200)

This MSDS is offered as a source for  
handling and safety information.

### Section III — Physical/Chemical Characteristics

Boiling Point not applicable

Specific Gravity (H<sub>2</sub>O = 1)  
less than 1.0

Vapor Pressure (mm Hg.)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate

(Butyl Acetate = 1) N/A

Solubility in Water

N/A

Appearance and Odor

White, nearly rigid tubes. No detectable odor.

### Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)

N/A

Flammable Limits

LEL

N/A

UEL

N/A

Extinguishing Media

Water spray, carbon dioxide, dry chemical, fog

Special Fire Fighting Procedures

None

Auto-ignition Temperature: 425°F (218°C) estimated

Unusual Fire and Explosion Hazards

Firefighters should always be equipped with self-contained breathing  
apparatus for protection against unexpected potentially toxic and/or

(Reproduce locally) irritating fumes.

OSHA 174, Sept. 1985



## Section V — Reactivity Data

Stability

Unstable

Conditions to Avoid

None known when used as intended.

Stable

X

Incompatibility (Materials to Avoid)

None known when used as intended.

Hazardous Decomposition or By-Products

Hazardous

May Occur

Conditions to Avoid

None known when used as intended.

Not Hazardous

Will Not Occur

X

## Section VI — Health Hazard Data

Route(s) of Entry:

Not hazardous

Inhalation?

Skin?

Ingestion?

Health Hazards (Acute and Chronic)

None known

Carcinogenicity:

Not listed

NTP?

IARC Monographs?

OSHA Regulated?

Signs and Symptoms of Exposure

None known

Medical Conditions

Generally Aggravated by Exposure

None known

Emergency and First Aid Procedures

Eye contact, inhalation, ingestion; Not likely to occur when used as intended. Skin contact will not require treatment.

## Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Sweep up any spilled product and place in a secure waste container immediately. Spilled product presents a slip hazard. Do not attempt to use product which has been swept up.

Waste Disposal Method

As customary for any used item in a dental office.

Precautions to Be Taken in Handling and Storing

Store in a dry area away from moisture, excessive heat and flame.

Other Precautions

No environmental hazards are known.

## Section VIII — Control Measures

Respiratory Protection (Specify Type)

None except as required in the dental office.

Ventilation

Local Exhaust

Special

Protective Clothing (General)

Other None except as required in the dental office.

Protective Gloves

None except as required in the dental office.

Eye Protection

None except as required in the dental office.

Other Protective Clothing or Equipment

None except as required in the dental office.

Work/Hygiene Practices

None except as required in the dental office.

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10