

Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE

# **Section 1 - PRODUCT AND COMPANY IDENTIFICATION**

SDS ID: 820044

**Material Name** 

SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE

**Product Code** 

32570

**Synonyms** 

Not available

**Product Use** 

Windshield washer fluid concentrate. DILUTE BEFORE USE. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

**Restrictions on Use** 

This product is not for sale or use in California or Canada.

MANUFACTURERSUPPLIER (in Canada)Safety-Kleen Systems, Inc.Safety-Kleen Canada, Inc.

42 Longwater Drive 25 Regan Road

Norwell, MA 02061-9149 Brampton, Ontario L7A 1B2

www.safety-kleen.com Phone: 1-800-669-5740

Emergency Phone #: 1-800-468-1760

**Issue Date** 

September 28, 2021

**Supersedes Date** 

July 28, 2020

**Original Issue Date** 

July 22, 2009

# **Section 2 - HAZARDS IDENTIFICATION**

#### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 2

Acute Toxicity - Oral - Category 3

Acute Toxicity - Inhalation - Dust/Mist - Category 3

Specific Target Organ Toxicity - Single Exposure - Category 1

#### **GHS Label Elements**

Symbol(s)







Signal Word
Danger

#### Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE SDS ID: 820044

#### **Hazard Statement(s)**

Highly flammable liquid and vapor.

Toxic if swallowed, in contact with skin, or inhaled..

Causes damage to organs. (central nervous system, optic nerve)

#### **Precautionary Statement(s)**

#### Prevention

Keep container tightly closed. Keep away from heat/sparks/open flame/hot surfaces - No smoking. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

#### Response

In case of fire: Use carbon dioxide, alcohol-resistant foam, dry chemical, or water fog. If exposed: Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.

#### Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

#### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other Hazards

None known.

#### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
67-56-1	Methanol	70-80
107-21-1	Ethylene glycol	0-15
57-55-6	1,2-Propylene glycol	0-15

# **Section 4 - FIRST AID MEASURES**

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Page 2 of 12 Rev. 09/21

#### Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE SDS ID: 820044

#### Ingestion

IF SWALLOWED, Immediately call a POISON CENTER or doctor/physician. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

# Most Important Symptoms/Effects

#### Acute

Toxic if swallowed, in contact with skin or if inhaled, organ damage.

#### Delayed

May cause blindness, central nervous system damage.

### Indication of any immediate medical attention and special treatment needed

For methanol poisoning, consider administrating ethanol orally or 4-methylpyrazole intravenously or orally. Antidote should be administered by qualified medical personnel. Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident. Call 1-800-468-1760 for additional information.

# **Section 5 - FIRE FIGHTING MEASURES**

#### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Use carbon dioxide, alcohol-resistant foam, dry chemical, water fog.

#### **Unsuitable Extinguishing Media**

Do not use high-pressure water streams.

#### **Special Hazards Arising from the Chemical**

Highly flammable liquid and vapor. Avoid friction, static electricity and sparks. The vapor is heavier than air. Vapors or gases may ignite at distant ignition sources and flash back. Empty containers may contain product residue. Run-off to sewer may create a fire hazard.

#### **Hazardous Combustion Products**

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide and unidentified organic compounds.

#### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Apply water from a protected location or from a safe distance. Dike for later disposal.

#### Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

### **Section 6 - ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

#### Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. A vapor suppressing foam may be used to reduce vapors. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, sparkproof tool into a sealable container for disposal. Additionally, for large spills: Water spray may reduce vapor, but may not prevent

Page 3 of 12 Rev. 09/21

#### Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE

ignition in closed spaces. Dike far ahead of liquid spill for collection and later disposal. There may be specific regulatory reporting requirements associated with spills, leaks, or releases of this product. Also see SECTION 15: REGULATORY INFORMATION.

SDS ID: 820044

#### **Section 7 - HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Keep away from heat, sparks, open flame, and hot surfaces - No smoking. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Do not breathe vapor or mist. Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

SAFETY-KLEEN NF 1000 ICE BREAKER SUPER CONCENTRATE MINIMUM RECOMMENDED					
		DILUTIONS			
State		Concentrate	Water	Freeze	VOC
		Used	Used	Point (°F)	Concentration
					(wt%)
Georgia*		1 Part	11 Parts	17	7%
Arizona (Maricopa County)		1 Part	9 Parts	16	9%
Texas		1 Part	3 Parts	2	21%
Oregon**		1 Part	2 Parts	-16	28%
All Other US States	Recommended Summer Blend	1 Part	7 Parts	14	11%
	Winter Blend (Non- Flammable)	1 Part	2 Parts	-16	28%

<sup>\*</sup>This subsection is applicable to any person who supplies or sells consumer and commercial products limited by this subsection within Cherokee, Clayton, Cobb, Coweta, DeKalb, Douglas, Fayette, Forsyth, Fulton, Gwinnett, Henry, Paulding, or Rockdale counties.

#### Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep cool. Store locked up.

Keep container tightly closed when not in use and during transport. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from heat, flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous. See SECTION 14: TRANSPORTATION INFORMATION for Packing Group information.

#### **Incompatible Materials**

Acids, alkalis, oxidizing agents, reactive halogens, or reactive metals.

#### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Component Exposure Limits**

Methanol	67-56-1
Alberta	200 ppm TWA; 262 mg/m3 TWA; 250 ppm STEL; 328 mg/m3 STEL Substance may be readily absorbed through intact skin
British Columbia, Northwest Territories, Nunavut	200 ppm TWA; Skin notation; 250 ppm STEL

Page 4 of 12 Rev. 09/21

<sup>\*\*</sup>Diluted product container~40 ppm bittering agent in accordance with Oregon's Toxic Household Products Act requirements.

SDS ID: 820044

# Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE

Manitoba	200 ppm TWA; Skin - potential for cutaneous absorption; Skin - potential significant contribution to overall exposure by the cutaneous route
New Brunswick	200 ppm TWA; 262 mg/m3 TWA; 250 ppm STEL; 328 mg/m3 STEL Skin - potential for cutaneous absorption
Nova Scotia	200 ppm TWA; 250 ppm STEL; Skin - potential significant contribution to overall exposure by the cutaneous route
Ontario	200 ppm TWA; 250 ppm STEL; Danger of cutaneous absorption
Prince Edward Island	200 ppm TWA; 250 ppm STEL
Quebec	200 ppm TWAEV ; 262 mg/m3 TWAEV; 250 ppm STEV ; 328 mg/m3 STEV Skin designation
Saskatchewan	200 ppm TWA; 250 ppm STEL; Potentially harmful after absorption through skin or mucous membranes
Yukon	200 ppm TWA ; 260 mg/m3 TWA;250 ppm STEL ; 310 mg/m3 STEL Skin notation
ACGIH:	200 ppm TWA; 250 ppm STEL; Skin - potential significant contribution to overall exposure by the cutaneous route
NIOSH:	200 ppm TWA ; 260 mg/m3 TWA; 250 ppm STEL ; 325 mg/m3 STEL Potential for dermal absorption; 6000 ppm IDLH
OSHA (US):	200 ppm TWA ; 260 mg/m3 TWA
Ethylene Glycol	107-21-1
ACGIH:	100 mg/m3 Ceiling aerosol only
1,2-Propylene glycol	57-55-6
Ontario	10 mg/m3 TWA (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present ) aerosol only; 50 ppm TWA aerosol and vapor; 155 mg/m3 TWA aerosol and vapor

# ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI) Methanol (67-56-1)

15 mg/l Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific )

# **Engineering Controls**

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

# Individual Protection Measures, such as Personal Protective Equipment Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Page 5 of 12 Rev. 09/21

# Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE SDS ID: 820044

#### **Respiratory Protection**

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

#### **Glove Recommendations**

Where skin contact is likely, wear chemical impervious protective gloves; use of natural rubber (latex) or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, whole body suits, or other protective clothing.

#### **Protective Materials**

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, Gloves, and Lab coat or apron.

# **Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Clear, blue liquid	Physical State	Liquid
Odor	Alcohol	Color	Clear / blue
Odor Threshold	Not available	рН	Not available
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	64.4 - 100 °C (148 - 212 °F )
<b>Boiling Point Range</b>	Not available	Freezing point	Not available
<b>Evaporation Rate</b>	2.1(Butyl acetate = 1)	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	11.1 °C (52 °F)
Lower Explosive Limit	5.5	<b>Decomposition temperature</b>	Not available
Upper Explosive Limit	36.5	Vapor Pressure	98 mmHg @ 70 °F
Vapor Density (air=1)	1.1	Specific Gravity (water=1)	0.792
Water Solubility	(Complete )	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Molecular Weight	Not available		

# **Section 10 - STABILITY AND REACTIVITY**

#### Reactivity

No reactivity hazard is expected.

#### **Chemical Stability**

Stable at normal temperatures and pressure.

#### **Possibility of Hazardous Reactions**

Will not polymerize.

Page 6 of 12 Rev. 09/21

#### Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE SDS ID: 820044

#### **Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

#### **Incompatible Materials**

Acids, alkalis, oxidizing agents, reactive halogens, or reactive metals.

### Hazardous decomposition products

None under normal temperatures and pressures. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

# **Section 11 - TOXICOLOGICAL INFORMATION**

#### **Information on Likely Routes of Exposure**

#### Inhalation

Toxic if inhaled. May cause headache, drowsiness, dizziness, loss of coordination, eye damage, central nervous system damage.

#### **Skin Contact**

Toxic in contact with skin. May cause headache, drowsiness, dizziness, loss of coordination, eye damage, central nervous system damage.

#### **Eve Contact**

May cause serious eye damage.

#### Ingestion

Toxic if swallowed. May cause headache, drowsiness, dizziness, loss of coordination, central nervous system damage, eye damage, blindness.

#### **Acute and Chronic Toxicity**

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### Methanol (67-56-1)

Oral LD50 Rat 6200 mg/kg; Dermal LD50 Rabbit 15840 mg/kg; Inhalation LC50 Rat 22500 ppm 8 h

#### Ethylene Glycol (107-21-1)

Oral LC50 Rat 4700 mg/kg

Rabbit 9530 uL/kg Skin LD50

# **1,2-Propylene glycol (57-55-6)**

Oral LD50 Rat 20 g/kg; Dermal LD50 Rabbit 20800 mg/kg

#### **Product Toxicity Data**

#### Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Inhalation - Vapor	> 20 mg/L

#### **Immediate Effects**

Toxic if swallowed, in contact with skin or if inhaled, organ damage.

# **Delayed Effects**

May cause blindness, central nervous system damage.

# Irritation/Corrosivity Data

May cause irritation.

#### **Respiratory Sensitization**

No information available for the product.

#### **Dermal Sensitization**

No information available for the product.

Page 7 of 12 Rev. 09/21

# Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE SDS ID: 820044

**Component Carcinogenicity** 

Ethylene Glycol	107-21-1
ACGIH:	A4 – Not Classifiable as a Human Carcinogen

#### **Germ Cell Mutagenicity**

Based on best current information, there is no known mutagenicity associated with this product.

#### **Tumorigenic Data**

No data available for this product.

#### **Reproductive Toxicity**

No information available for the product.

#### Specific Target Organ Toxicity - Single Exposure

Central nervous system, optic nerve

# **Specific Target Organ Toxicity - Repeated Exposure**

No data available for this product.

#### **Aspiration hazard**

No information available for the product.

# **Medical Conditions Aggravated by Exposure**

May cause central nervous system disorders, skin disorders, eye disorders, reproductive disorders, systemic disorders. Section 12 - ECOLOGICAL INFORMATION

**Component Analysis - Aquatic Toxicity** 

Methanol	67-56-1
Fish:	LC50 96 h Pimephales promelas 28200 mg/L [flow-through]; LC50 96 h Pimephales promelas >100 mg/L [static]; LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flow-through]; LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static]; LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through]
Ethylene Glycol	107-21-1
Fish:	LC50 96 h Oncorhynchus mykiss 41000 mg/L [static]; LC50 96 h Oncorhynchus mykiss 14 - 18 mL/L [static]; LC50 96 h Lepomis macrochirus 27540 mg/L [static]; LC50 96 h Oncorhynchus mykiss 40761 mg/L [static]; LC50 96 h Pimephales promelas40,000 – 60,000 mg/L [static]; LC50 96 h Poecilia reticulata 16000 mg/L [static]
Algae:	EC50 96 h Pseudokirchneriella subcapitata 6500 - 13000 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 46300 mg/L IUCLID
1,2- Propylene glycol	57-55-6
Fish:	LC50 96 h Oncorhynchus mykiss 51600 mg/L [static ]; LC50 96 h Oncorhynchus mykiss 41 - 47 mL/L [static ]; LC50 96 h Pimephales promelas 51400 mg/L [static ]; LC50 96 h Pimephales promelas 710 mg/L
Algae:	EC50 96 h Pseudokirchneriella subcapitata 19000 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L [Static ] EPA

Page 8 of 12 Rev. 09/21

# Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE SDS ID: 820044

#### Persistence and Degradability

The product is biodegradable.

#### **Bioaccumulative Potential**

Low bioconcentration.

#### **Mobility**

Expected to have high mobility in soil.

#### **Section 13 - DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Dispose of in accordance with all applicable federal, state and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Hazardous Waste Number(s): D001. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product. Contact Safety-Kleen regarding proper recycling or disposal.

# **Section 14 - TRANSPORT INFORMATION**

**US DOT Information:** 

Shipping Name: METHANOL, Mixture

Hazard Class: 3 UN/NA #: UN1230 Packing Group: II Required Label(s): 3

Further information: Methanol RQ: 5000 lb (2270 kg)For U.S. domestic shipments only, product may be shipped

under the alternative domestic shipping classification: UN1230, Methanol, 3, PGII

**IATA Information:** 

Shipping Name: METHANOL, Mixture

Hazard Class: 3 UN#: UN1230 Packing Group: II Required Label(s): 3 6.1

**IMDG Information:** 

Shipping Name: METHANOL, Mixture

Hazard Class: 3 UN#: UN1230 Packing Group: II Required Label(s): 3 6.1

**TDG Information:** 

Shipping Name: METHANOL, Mixture

Hazard Class: 3 UN#: UN1230 Packing Group: II Required Label(s): 3 (6.1)

#### **International Bulk Chemical Code**

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Page 9 of 12 Rev. 09/21

# Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE

Methanol	67-56-1		
IBC Code:	Category Y		

# **Section 15 - REGULATORY INFORMATION**

#### **U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

SDS ID: 820044

Methanol	67-56-1		
SARA 313:	1 % de minimis concentration		
CERCLA:	5000 lb final RQ ; 2270 kg final RQ		
Ethylene Glycol	107-21-1		
SARA 313:	1 % de minimis concentration		
CERCLA:	5000 lb final RQ ; 2270 kg final RQ		

Chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

CAS-No.	Name	Percent by Weight
67-56-1	Methanol	70-80
107-21-1	Ethylene Glycol	5-15

# SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Flammable; Acute toxicity; Specific Target Organ Toxicity

#### **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Methanol	67-56-1	Yes	Yes	Yes	Yes	Yes
Ethylene Glycol	107-21-1	Yes	Yes	Yes	Yes	Yes
Propylene Glycol	57-55-6	No	No	Yes	Yes	Yes

#### California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

THIS PRODUCT IS NOT FOR SALE OR USE IN THE STATE OF CALIFORNIA.

Page 10 of 12 Rev. 09/21

Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE SDS ID: 820044

# **Component Analysis - Inventory**

Water (7732-18-5)

US	CA	AU	CN	E	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	E	IN	Yes	No		Yes	No
KR - REACH CCA			<b>\</b> ]	MX	NZ	PH	TH- TECI	TW	VN (Draft)	
No			,	Yes	Yes	Yes	Yes	Yes	Yes	

# Methanol (67-56-1)

US	CA	AU	CN	Е	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	s E	IN	Yes	Yes Yes		Yes	No
KR - REACH CCA			<b>A</b>	MX	NZ	PH	TH- TECI	TW	VN (Draft)	
Yes				Yes	Yes	Yes	Yes	Yes	Yes	

# 1,2-Propylene glycol (57-55-6)

US	CA	AU	CN	Е	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Ye	es EIN		Yes	Yes		Yes	No
KR - REACH CCA			\	MX	NZ	PH	TH- TECI	TW	VN (Draft)	
No				Yes	Yes	Yes	Yes	Yes	Yes	

# Ethylene glycol (107-21-1)

US	CA	AU	Cì	N E	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Υe	es E	IN	Yes	Yes		Yes	No
KR -	KR - REACH CCA				NZ	РН	TH- TECI	TW	VN (Draft)	
No				Yes	Yes	Yes	Yes	Yes	Yes	

# **Section 16 - OTHER INFORMATION**

# **NFPA Ratings**

Health: 2 Fire: 3 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Page 11 of 12 Rev. 09/21

Material Name: SAFETY-KLEEN ICE BREAKER/BUG BUSTER CONCENTRATE SDS ID: 820044

#### **Summary of Changes**

Update to Section 2 and resulting updates. Addition of Ethylene glycol to the composition.

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

#### Other Information

#### Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 12 of 12 Rev. 09/21