Epipen - E- Epipen JR.

Revision date: 09-Nov-2012

Version: 1.0

Page 1 of 8

4/20/2015

I. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Inc Pfizer Pharmaceuticals Group 235 East 42nd Street New York, New York 10017 1-212-573-2222

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Pfizer Ltd Ramsgate Road Sandwich, Kent CT13 9NJ United Kingdom +00 44 (0)1304 616161 Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

Material Name: EpiPen and EpiPen Jr

Trade Name:

Not established

Chemical Family: Intended Use:

Catecholamine/ Sympatomimetic

Pharmaceutical product used for allergic reactions (anaphylaxis)

2. HAZARDS IDENTIFICATION

Appearance:

Clear colorless liquid

Statement of Hazard:

Non-hazardous in accordance with international standards for workplace safety.

Additional Hazard Information:

Short Term:

May be absorbed through the skin and cause systemic effects. May be absorbed through

mucous membranes and cause systemic effects.

Known Clinical Effects:

Adverse effects associated with the apeutic use include increased heart rate (tachycardia), palpitations, sweating, nausea, vomiting, difficulty breathing, dizziness, weakness, headache,

anxiety, nervousness.

EU Classification

EU Indication of danger:

Not classified

Australian Hazard Classification (NOHSC):

Hazardous Substance. Non-Dangerous Goods.

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the active substance or its intermediates regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your

workplace.

Material Name: EpiPen and EpiPen Jr

Page 2 of 8 Revision date: 09-Nov-2012 Version: 1.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Epinephrine	51-43-4	200-098-7	T;R24/25	0.15-0.3
HYDROCHLORIC ACID	7647-01-0	231-595-7	C;R35	**
			T;R23	
Sodium metabisulfite USP	7681-57-4	231-673-0	R31	*
			Xi; R41 Xn; R22	•
Sodium chloride	7647-14-5	231-598-3	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Water for Injection	7732-18-5	231-791-2	Not Listed	*

Additional Information:

** to adjust pH

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safetv.

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-

contained breathing apparatus.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

6. ACCIDENTAL RELEASE MEASURES

Personnel involved in clean-up should wear appropriate personal protective equipment (see Health and Safety Precautions:

Section 8). Minimize exposure.

Material Name: EpiPen and EpiPen Jr

Revision date: 09-Nov-2012 Version: 1.0

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spilled material by a method that

controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

Page 3 of 8

dry solids. Clean spill area thoroughly.

Measures for Environmental

Protections:

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

avoid environmental release.

Additional Consideration for Large

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

General Handling:

Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other

equivalent controls.

Storage Conditions:

Store as directed by product packaging.

8 mg/m³

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

HYDROCHLORIC ACID

ACGIH Ceiling Threshold Lim	ıit:	2 ppm
Australia PEAK		5 ppm 7.5 mg/m ³
Austria OEL - MAKs		5 ppm
Belgium OEL - TWA		8 mg/m ³ 5 ppm 8 mg/m ³
Bulgaria OEL - TWA		8.0 mg/m ³
Cyprus OEL - TWA		5 ppm 8 mg/m ³
Czech Republic OEL - TWA		8 mg/m³
Estonia OEL - TWA		5 ppm
Germany - TRGS 900 - TWAs		8 mg/m ³ 2 ppm 3 mg/m ³
Germany (DFG) - MAK		2 ppm
Greece OEL - TWA		3.0 mg/m ³ 5 ppm 7 mg/m ³
Hungary OEL - TWA		8 mg/m³
Ireland OEL - TWAs		5 ppm 8 mg/m³
Italy OEL - TWA		5 ppm
		8 mg/m³
Japan - OELs - Ceilings		5 ppm 7.5 mg/m ³
Latvia OEL - TWA		5 ppm

Material Name: EpiPen and EpiPen Jr

Page 4 of 8 Revision date: 09-Nov-2012 Version: 1.0

Lithuania OEL - TWA	5 ppm				
	8 mg/m³	•			
Luxembourg OEL - TWA	5 ppm				
	8 mg/m³				
Malta OEL - TWA	5 ppm				
	8 mg/m ³		: .		
Netherlands OEL - TWA	8 mg/m ³			5 S	•
Poland OEL - TWA	5 mg/m ³			1.5	
Romania OEL - TWA	5 ppm		•		
	8 mg/m³			* •	
Slovakia OEL - TWA	5 ppm				14.
	8.0 mg/m ³				
Slovenia OEL - TWA	5 ppm				
	8 mg/m ³				
Spain OEL - TWA	5 ppm				
	7.6 mg/m ³				
ium metabisulfite USP					
ACGIH Threshold Limit Value (TWA)	5 mg/m ³				
Australia TWA	5 mg/m³		1.	•	
Belgium OEL - TWA	5 mg/m ³				
Denmark OEL - TWA	5 mg/m ³				
France OEL - TWA	5 mg/m ³				√ ×
Greece OEL - TWA	5 mg/m ³				
Ireland OEL - TWAs	5 mg/m ³				
Portugal OEL - TWA	5 mg/m ³				
Spain OEL - TWA	5 mg/m ³				**

Sodium chloride

Latvia OEL - TWA 5 mg/m³ Lithuania OEL - TWA 5 mg/m³

Epinephrine

Band (OEB):

Pfizer Occupational Exposure OEB 4 - Skin (control exposure to the range of 1ug/m³ to <10ug/m³, provide additional

precautions to protect from skin contact)

Engineering Controls:

Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Environmental Exposure Controls:

Refer to specific Member State legislation for requirements under Community environmental

Personal Protective Equipment:

Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Hands:

Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

Eyes:

Wear safety glasses or goggles if eye contact is possible.

Skin:

Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Respiratory protection:

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

Material Name: EpiPen and EpiPen Jr

Page 5 of 8 Revision date: 09-Nov-2012 Version: 1.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Liquid

Color:

Clear colorless

Molecular Formula:

Mixture

Molecular Weight:

Mixture

Solubility:

Soluble: Water

pH:

2.2-5.0

Specific Gravity:

10. STABILITY AND REACTIVITY

Chemical Stability:

Stable under normal conditions of use.

Conditions to Avoid: Incompatible Materials: Fine particles (such as dust and mists) may fuel fires/explosions. As a precautionary measure, keep away from strong oxidizers

General Information:

The information included in this section describes the potential hazards of the individual

ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

11. TOXICOLOGICAL INFORMATION

Epinephrine

Rat Dermal LD50 62 mg/kg Rat Oral LD50 30 mg/kg

Sodium chloride

LD50 3000 mg/kg Rat Oral Mouse Oral LD50 4000 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Sodium chloride

Eve Irritation Rabbit Moderate Skin Irritation Rabbit Mild

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Epinephrine

Embryo / Fetal Development

Rat Intravenous Dose not specified Not teratogenic Subcutaneous 30 times human dose

Embryo / Fetal Development Embryo / Fetal Development Rabbit Mouse

Subcutaneous 7 times human dose

LOAEL LOAEL

Developmental toxicity Developmental toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Epinephrine

Bacterial Mutagenicity (Ames) Sister Chromatid Exchange

Salmonella Negative Negative with activation

Sister Chromatid Exchange

Chinese Hamster Ovary (CHO) cells

Equivocal without activation

Material Name: EpiPen and EpiPen Jr

Page 6 of 8 Revision date: 09-Nov-2012 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Carcinogen Status:

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

HYDROCHLORIC ACID

IARC:

Group 3 (Not Classifiable)

Sodium metabisulfite USP

IARC:

Group 3 (Not Classifiable)

12. ECOLOGICAL INFORMATION

Environmental Overview:

Environmental properties have not been investigated. Releases to the environment should be

avoided.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

Epinephrine

RCRA - P Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

EU Indication of danger:

Not classified

OSHA Label:

Non-hazardous in accordance with international standards for workplace safety.

Canada - WHMIS: Classifications

Page 7 of 8

Material Name: EpiPen and EpiPen Jr

Revision date: 09-Nov-2012 Version: 1.0

15. REGULATORY INFORMATION

WHMIS hazard class:

None required

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Epinephrine

CERCLA/SARA Hazardous Substances	1000 lb
and their Reportable Quantities:	454 kg
inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 3
for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	200-098-7

HYDROCHLORIC ACID

CERCLA/SARA 313 Emission reporting	1.0 %
CERCLA/SARA Hazardous Substances	 5000 lb
and their Reportable Quantities:	2270 kg
CERCLA/SARA - Section 302 Extremely Hazardous	 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous 5000 lb

Substances EPCRA RQs

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS/ELINCS List

Present
Schedule 5
Schedule 6
231-595-7

Water for Injection

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Present

Present

obligations of Register:

EU EINECS/ELINCS List 231-791-2

Sodium metabisulfite USP

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS/ELINCS List

Present
Schedule 5
Schedule 5
231-673-0

Sodium chloride

Inventory - United States TSCA - Sect. 8(b)PresentAustralia (AICS):PresentEU EINECS/ELINCS List231-598-3

16. OTHER INFORMATION

Text of R phrases mentioned in Section 3

Material Name: EpiPen and EpiPen Jr

Revision date: 09-Nov-2012

Page 8 of 8

Version: 1.0

R22 - Harmful if swallowed.

R23 - Toxic by inhalation.

R31 - Contact with acids liberates toxic gas.

R35 - Causes severe burns.

R41 - Risk of serious damage to eyes.

R24/25 - Toxic in contact with skin and if swallowed.

Prepared by:

Product Stewardship Hazard Communication Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet