$0.P \cdot I$

SAFETY DATA SHEET

Page 1 of 6 SDS-117

SDS Revision Date: 4/12/2018 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.3 1. PRODUCT & COMPANY IDENTIFICATION OPI CLARITÉ CURING RESIN® 1.1 Product Name: Cyanoacrylate Mixture 1.2 Chemical Name: 1.3 Synonyms NA 1.4 Trade Names AO851, AO852 Product Use: 1.5 Professional or Sundry Use Only 1.6 Distributor's Name OPI Products, Inc. 1.7 Distributor's Address: 4500 Park Granada Blvd, Calabasas, CA 91302 USA CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.8 Emergency Phone: 1.9 Business Phone / Fax: Tel: +1 (818) 999-5112 2. HAZARDS IDENTIFICATION This product is classified as a hazardous substance but not as dangerous goods according to the classification criteria of Hazard Identification: [NOHSC: 1088 (2004)] and ADG Code (Australia). WARNING! CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Classification: Skin Irrit. 2; Skin Sens. 1A; Eye Irrit. 2B; STOT SE 3 Hazard Statements (H): H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. Label Elements: 2.2 H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. Precautionary Statements (P): P210 - Keep away from heat/sparks/open flame/hot surfaces - No Smoking. P233 - Keep container tightly closed. P261 - Avoid breathing fume/ mist/vapors/spray. P264 - Wash exposed skin areas thoroughly with soap and water after handling. P272 -Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN - Wash with soap and water. P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P333+P313 - If skin irritation or a rash occurs - Get medical advice/attention. P321 - For specific first aid treatment (See Section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire, CO2, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 2.3 Other Warnings: KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m3) ACGIH NOHSC **OSHA** ppm ppm ppm ES-ES-ES-EINECS No. TLV STEL TWA STEL PEAK STEL IDLH OTHER RTECS No. CHEMICAL NAME(S) CAS No. NA NA 230-391-5 60-100 (0.2) NA NF NA 7085-85-0 UD3330050 NF NF ETHYL-2 CYANOACRYLATE Skin Irrit.2; Eye Irrit. 2; STOT SE 3; H315, H319, H335 100 NA NF NF NF 100 NA NA MMA TR0400000 201-297-1 10-30 9011-14-7 POLY (METHYLMETHACRYLATE) Skin Irrit.2; Eye Irrit. 2; STOT SE 3; H315, H319, H335 4. FIRST AID MEASURES If ingested, do not induce vomiting. Contact the nearest Poison Control Center or local emergency 4.1 First Aid: Ingestion: number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. WARNING: This product bonds skin immediately. Do not pull. Peel slowly using acetone, (use Skin: lukewarm water only for product removal, if skin bonding has occurred near the eyes). If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician. Immediately Contact a physician immediately. Do not try to open the eye. Flush with cool water for at least 15 minutes Eyes: opening and closing eyelids to ensure thorough irrigation. If irritation persists, contact a physician. Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate Inhalation: medical attention. May bond skin to clothing and may release heat, causing burns. Cool burned area immediately with cold Clothing: water. If clothing adheres to skin, do not pull; peel slowly under lukewarm water. Consult a physician for treatment of burns.

 $0.P \cdot I$

SAFETY DATA SHEET

Page 2 of 6 SDS-117

SDS Revision Date: 4/12/2018 SDS Revision: 4.3 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards 4. FIRST AID MEASURES - cont'd If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system 4.2 Effects of Exposure: Ingestion: depression. Vapor of this product may be mildly to moderately irritation to the eyes. Symptoms of overexposure may Eyes: include redness, itching, irritation and watering. WARNING! THIS PRODUCT WILL BOND SKIN INSTANTLY May be irritating to skin in some sensitive Skin: individuals, especially after prolonged or repeated skin contact. May bond skin to clothing and release heat, causing burns. Inhalation of vapors is unlikely under normal conditions of use. Vapors of this product may be slightly Inhalation: irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of vapors exceeding the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). May undergo rapid polymerization on contact with clothing, releasing heat. Skin burns may result. Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected 4.3 Symptoms of Overexposure: areas. Overexposure of vapor in eyes may cause redness, itching and watering. 4.4 Acute Health Effects: Mild to moderate irritation to skin near affected areas. Vapor of this product may be mildly to moderately irritating to the eyes and mucous membranes. Symptoms of overexposure may include redness, itching, irritation and watering. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Chronic Health Effects: 4.5 None known. 4.6 Target Organs: Eyes, Skin, Respiratory System. **HEALTH** 2 47 Medical Conditions None known Aggravated by Exposure: **FLAMMABILITY** 1 2 PHYSICAL HAZARDS PROTECTIVE EQUIPMENT B **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Rapid polymerization may occur at very high temperatures. CO₂, Halon, Dry Chemical 5.2 Extinguishing Methods: 5.3 Firefighting Procedures: When involved in a fire, this product will ignite readily and decompose to produce oxides of carbon and nitrogen and hydrogen cyanide. Vapors of this product are heavier than air and may travel to a source of ignition and flash back to a leaking or open container. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective 6.1 Spills: Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Avoid prolonged or repeated skin contact. Avoid breathing vapors of this product. Use eye protection when using this 7.1 Work & Hygiene Practices: product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap & water. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling: Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10, Stability and Reactivity). Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may 7.3 Special Precautions: contain residual amounts of this product; therefore, empty containers should be handled with care.

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 3 of 6 SDS-117

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 4/12/2018 8. EXPOSURE CONTROLS & PERSONAL PROTECTION OTHER NOHSC Exposure Limits: ppm (mg/m3) STEL ES-TWA ES-STEL ES-PEAK PFL STEL IDLH CHEMICAL NAME(S) TLV ETHYL-2 CYANOACRYLATE NA MIST (0.2)NA NF NF NF NA NA POLY NF NE NE 100 NΑ NA MMA 100 NA (METHYLMETHACRYLATE) General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. 8.2 Use local or general Ventilation & Engineering Controls exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR 8.3 Respiratory Protection: §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, EU member states, or Australia. Safety glasses with side shields should be used with this product. This product is irritating to the Eye Protection: 8.4 eves. 8.5 Hand Protection: WARNING! THIS PRODUCT WILL BOND SKIN INSTANTLY. Therefore, the use of latex or rubber gloves is recommended. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. Body Protection: WARNING! THIS PRODUCT WILL BOND SKIN INSTANTLY. Therefore, the use of an apron is 8.6 recommended. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Clear to slightly yellow liquid. Thixotropic gel 9.2 Odor Sharp, irritating acrylic odor 9.3 Odor Threshold: ND pH· 94 NA 9.5 Melting Point/Freezing Point: ND Initial Boiling Point/Boiling 9.6 >149 °C (> 300 °F) Range: 9.7 < 83 °C (181 °F), TCC Flashpoint Upper/Lower Flammability 9.8 Limits: Vapor Pressure: 9.9 < 0.2 mm Hg 9.10 Vapor Density: Vapor density > 3 @ 20 °C (68°F) (Air = 1); Relative Density: 9.11 1.04 (estimated) 9.12 Solubility: Insoluble in water 9.13 Partition Coefficient (log Pow) NA 9.14 Autoignition Temperature ND 9.15 Decomposition Temperature: NA Viscosity: 9.16 40 cPs Other Information: 9.17 Polymerizes in water 10. STABILITY & REACTIVITY Stable under ambient conditions when stored properly (See Section 7, Storage and Handling). 10.1 Stability: If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and 10.2 Hazardous Decomposition carbon oxide gases and hydrogen cyanide (e.g., CO, CO2, HCN) 10.3 Hazardous Polymerization: May occur, if exposed to extremely high temperatures or exposed to moisture. Exposure to or contact with extreme temperatures, strong light sources or incompatible materials. 10.4 Conditions to Avoid: This product is incompatible with strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or 10.5 Incompatible Substances: muriatic acids), or strong bases (e.g., lye, potassium hydroxide) 11. TOXICOLOGICAL INFORMATION Absorption: YES Ingestion: YES 11.1 Routes of Entry: Inhalation: YES This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components 11.2 Toxicity Data: of this product, which are found in the scientific literature. This data has not been presented 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 This product contains Poly(methylmethacrylate), which is not carcinogenic to humans, but is listed as a Group 3 11.5 Suspected Carcinogen carcinogen by the IARC

 $0 \cdot P \cdot I$

SAFETY DATA SHEET

Page 4 of 6 SDS-117

SDS Revision Date: 4/12/2018 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.3 11. TOXICOLOGICAL INFORMATION - cont'd 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices: Physician Recommendations: 119 Treat Symptomatically. 12. ECOLOGICAL INFORMATION This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. 12.1 Environmental Stability: 12.2 Effects on Plants & Animals: There are no specific data available for this product. Effects on Aquatic Life: 12.3 There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with federal, state, and local regulations. Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): UN3334, AVIATION REGULATED LIQUID, N.O.S. (ethyl cyanoacrylate), 9 (IP VOL ≤ 0.5 L) This product is not offered in a size greater than 20 ml excepted from regulation 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED SCT (MEXICO): 14.6 NOT REGULATED 14.7 ADGR (AUS): NOT REGULATED * This product may also be shipped as an Excepted Quantity (Inner Package Volume ≤ 30 mL, Total Quantity ≤ 500 mL per Outer Package) 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: The components of this product are listed on the TSCA Inventory or are otherwise exempt 15.3 TSCA Inventory Status: CERCLA Reportable Quantity 15.4 (RQ): This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G 15.5 Other Federal Requirements: (Cosmetics) This product has been classified according to the hazard criteria of the CPR and the SDS contains 15.6 Other Canadian Regulations: all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: Ethyl cyanoacrylate is found on the following state criteria lists: New Jersey Right-to-Know List (NJ). Poly(methylmethacrylate) is found on the following state criteria list: NJ and Pennsylvania Right-to-Know List (PA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive Other Requirements: harm. For more information, go to www.P65warnings.ca.gov.

 $0 \cdot P \cdot I$

SAFETY DATA SHEET

Page 5 of 6 SDS-117

SDS Revision Date: 4/12/2018 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.3 16. OTHER INFORMATION WARNING! CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS 16.1 Other Information: EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Do not store near eye drops. Eye irritant. If eye contact occurs, flush immediately with water and seek medical attention. BONDS SKIN INSTANTLY. If skin bonds, do not pull - peel apart gently using acetone. Avoid contact with fabrics as heat may occur. KEEP OUT OF REACH OF CHILDREN. See last page of this Safety Data Sheet. 16.2 Terms & Definitions: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Disclaimer. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: OPI Products, Inc. 4500 Park Granada Blvd Calabasas, CA 91302 USA Tel: +1 (818) 999-5112 http://www.opi.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

SAFETY DATA SHEET

Page 6 of 6 SDS-117

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 4.3

SDS Revision Date: 4/12/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number		
RTECS No.	Registry of Toxic Effects of Chemical Substances Number		
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number		

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С			
D	(3)		
Е		9	
F			0

G	
Н	
1	
J	
K	
X	Consult your supervisor or SOPs for special handling directions.



OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	TY LIMITS IN AIR:		
Autoignition Minimum temperature required to initiate combustion in air with no other source Temperature of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\ A
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	□ / ₹₩ /
₩	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL PRECAUTIONS
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TDIo	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{lo} , LD _{lo} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(a)	(a)	9	1	®		Ř
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compress ed	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond	(T)				*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment