



# Spartan Chemical Company, Inc.

## Material Safety Data Sheet

### SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

**CONCENTRATED WINDOW CLEANER**

Product Number: 3060; 3061

**Spartan Chemical Company, Inc.**

**1110 Spartan Drive**

**Maumee OH 43537**

Product Division:

**Janitorial**

Product/Technical **1-(800)-537-8990**

Information:

Medical Emergency: **1-(888)-314-6171 (24 hours)**

Chemical Leak/Spill **CHEMTREC 1-(800) 424-9300 (24 hours)**

Shipping Description:	Flammable liquids, n.o.s., 3, UN 1993, III, (contains isopropanol)		
<b>NFPA Ratings:</b>		<b>HMIS Ratings:</b>	
<b>Health:</b>	2 - Moderate	<b>Health:</b>	2 - Moderate
<b>Fire:</b>	3 - Serious	<b>Fire:</b>	3 - Serious
<b>Reactivity:</b>	0 - Minimal	<b>Reactivity:</b>	0 - Minimal
		<b>Pers. Prot. Equip.:</b>	See Section VIII

### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z- 1 - A			NTP, IARC or OSHA Carcinogen
			TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CEILING mg/m <sup>3</sup>	
Isopropanol	10-20	67-63-0	980	1225	Not Established	No
Acetic Acid	1-5	64-19-7	25	37	Not Established	No
Alkyl polyglycoside	1-5	132778-08-6	Not Established	Not Established	Not Established	No

### SECTION III: PHYSICAL DATA

Boiling Point:	200 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	2-3	Specific Gravity (H <sub>2</sub> O=1):	0.97
Evaporation Rate (but. ace.=1):	<1	Percent Solid by Weight:	1-5
Physical State:	Liquid		
Appearance & Odor:	Clean, light blue, Floral odor		

#### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	85°F	Method Used:	ASTM-D3278
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Water, carbon dioxide or dry chemical.		
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic..		

#### SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes and Oral
Effects of Overexposure-Conditions to Avoid:	<p><b>Causes eye and skin irritation:</b> Symptoms may include pain, redness, swelling and tearing</p> <p><b>Harmful if swallowed:</b> Symptoms may include nausea, vomiting, pain and diarrhea.</p> <p><b>Inhalation of product vapors or mist may cause respiratory irritation:</b> Symptoms may include coughing and difficulty breathing.</p> <p><b>Do not get in eyes, on skin, or on clothing. Do not taste or swallow.</b></p> <p><b>Avoid breathing product vapor or mist.</b></p>		
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.		

#### Emergency & First Aid Procedures:

Eyes:	In case of contact; immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. If irritation persists; seek medical attention.
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	In case of respiratory irritation; move person to fresh air.

#### SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	None known
Hazardous Decomposition Products:	None	Hazardous Polymerization:	Will Not Occur

#### SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for recovery or disposal.
Waste Disposal Method:	Assure conformance with federal, state and local regulations.

## SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other waterproof gloves are recommended when handling undiluted product.
Eye Protection(Specify Type):	Splash goggles are recommended when handling undiluted product.
Other Protective Equipment:	For further guidance see 29 CFR 1910.132-138.

## SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Flammable liquid and vapor. Do not use or store near heat, sparks and flame.
Other Precautions:	Keep out of reach of children.

© SCC 03/30/2004

**CONCENTRATED WINDOW  
CLEANER**

Ref: 29 CFR 1910.1200  
(OSHA)

Name:	Ronald T. Cook	Title:	Manager, Regulatory Affairs
Effective Date:	03/30/2004	Supercedes:	09/21/1999
Changes:	Update Sections I, II, IV, V, VII, VIII & IX		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.