

MATERIAL SAFETY DATA SHEET (MSDS)

IDENTITY: Nourish Body Lotion - Lotus Blossom

MANUFACIUR	FK.2 COD	E: 83162 (BAVVU	14G) 💮	
Calm and	XNTOC	Blassom	bhw-	003256

SECTION 1. COMPANY ID	ENTIFICATION:
MANUFACTURER'S NAME: Thibiant International Inc.	EMERGENCY TELEPHONE NUMBER: (818) 709-1345
ADDRESS: 20320 Prairie Street Chatsworth, CA 91311	TELEPHONE NUMBER FOR INFO: (818) 709-1345
DATE PREPARED: 04/19/05	FAX NO. [818] 709-4157

SECTION 2. HAZARDOUS INGREDIENTS / IDENTITY INFORMATION:

The identity of individual components of this mixture is proprietary information and regarded to be a trade secret. However, based on the health hazard determination of contained ingredients present at a concentration greater than one percent, this mixture presents the following hazard:

HAZARDOUS COMPONENTS	% (RANGE)	CAS NO.	OSHA PEL	ACGIH TLV	х.
GE SF 1202	1.80-2.20%	541-02-6			
			1		
		100			

HAZARDS IDENTIFICATION: **SECTION 3.**

I. EMERGENCY OVERVIEW

TYPE OF HAZARD: none known (finished product) when used as directed

APPEARANCE: Opaque, Viscous Lotion

II. POTENTIAL HEALTH EFFECTS

INHALATION: Slight nasal irritation may occur.

SKIN CONTACT: May be initating to extra-sensitive skin.

EYE CONTACT: Moderate irritation may result.

INGESTION: Harmful If swallowed. May cause gastrointestinal imitation.

CHRONIC EFFECTS AND MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: Chronic effects and medical conditions

aggravated by overexposure to this product have not been established.

SECTION 4. FIRST AID MEASURES: INHALATION: Immediately remove victim to fresh air. If respiratory problems arise, get medical attention. SKIN: Thoroughly wash the exposed area if irritation occurs. If irritation persists, get medical assistance. EYES: Flush with plenty of water, if imitation persists, get medical attention.

Do not induce vomiting. Drink 3-4 glasses of viater. Get prompt medical attention.



MATERIAL SAFETY DATA SHEET (MSDS)

Manufacturer's Name: Thiblant International Inc. Information / Emergency phone #: (818) 709-1345 Product Identity: Nourish Body Lotion - Lotus Bibssom
SECTION 5. FIRE FIGHTING MEASURES:
FLAMMABILITY CLASSIFICATION: not flammable FLASH POINT: not applicable
EXTINGUISHING MEDIA: Foam, CO ₂ , water fog, sand/earth
UNUSUAL FIRE AND EXPLOSION HAZARDS: none
SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire exposed containers with water spray.
SECTION 6. ACCIDENTAL RELEASE MEASURES:
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Absorb spilled material with Inert material such as sawdust, sand, earth.
DISPOSAL METHOD: Sweep up and dispose of in accordance with Federal, State, and Local regulations.
SECTION 7. HANDLING AND STORAGE:
USAGE PRECAUTIONS: Use as directed.
STORAGE PRECAUTIONS: It is recommended that this material be stored in a cool area. Protect containers against damage. Keep closed until used.
OTHER PRECAUTIONS: not applicable
SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:
ENGINEERING CONTROL: Not required
RESPIRATION PROTECTION: Not required
PROTECTIVE GLOVES: Not required
EYE AND FACE PROTECTION: Not required
HYGIENIC WORK PRACTICES: No special practices noted. No eating or drinking while working with this material.
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:
BOILING RANGE: Not determined VAPOR DENSITY: X HEAVIER LIGHTER THAN AIR
EVAPORATION RATE:FASTERXSLOWER, THAN ETHER
% VOLATILE PER VOLUME: SPECIFIC GRAVITY: 0.97-1.01 APPEARANCE: Opaque, Viscous Lotion ODOR / TASTE: Characteristic SOLUBILITY IN WATER: Miscible pH (RANGE): 5.50-6.50 VISCOSITY: 15,000-35,000 cps



MATERIAL SAFETY DATA SHEET (MSDS)

Manufacturer's Name: Thiblant International Inc. Information / Emergency phone #: (818) 709-1345 Product Identity: Nourish Body Lotion - Lotus Blossom
SECTION 10. STABILITY AND REACTIVITY:
STABILITYUnstableXStable
INCOMPATIBILITY (Materials to Avoid): Strong exidizing agents, metals
HAZARDOUS DECOMPOSITION PRODUCTS: May produce oxides of carbon
HAZARDOUS POLYMERIZATION:MAY OCCUR X WILL NOT OCCUR
CONDITIONS TO AVOID: Extreme temperatures
SECTION 11. TOXICOLOGICAL INFORMATION:
HEALTH WARNING: not applicable
SECTION 12. ECOLOGICAL INFORMATION:
Avoid uncontrolled release of this material
SECTION 13. DISPOSAL CONSIDERATIONS:
Collect and dispose of in accordance with Federal, Stare and Local laws and regulations. This product is not classified as an equitable hazardous waste.
SECTION 14. TRANSPORT INFORMATION:
DOT CLASSIFICATION: not classified SHIPPING NAME: not applicable
HAZARD CLASS: not applicable OTHER PERTINENT INFORMATION: πot applicable
SECTION 15. REGULATORY INFORMATION:
TSCA: not applicable
SARA, Title III, Section 313 (40CFR 372): not applicable
CALIFORNIA PROPOSITION 65: not applicable
SECTION 16. OTHER INFORMATION:
SUPERCEDES: None

Let: Man

VeePak, Inc. 708-482-8881

Material Safety and Data Sheet

(4)(<u> </u>
Section I-Chem	ical Product and Company Identification
Manufacturer's Name:	<u> </u>
Bath and Body Works	
Street Address:	City, State, and Zip Code:
7 Limited Parkway East	Reynoldsburg, OH 43068
Emergency Telephone Number:	Chemtrec:
(614) 856-6225	1-800-424-9300
Information Telephone Number:	
(708) 482-8881	
Product Class:	
Moisturizing Body Lotion Trade Name: - appear to a	mnu 8.5.04
Trade Name: - applus to a	el fragrance Chemical Family:
Summer Fruit and Jasmine, Strawberry Nec	tar, Unfragranced/uncolored base, Seaspray
Mixture	
Coco Cabana, or Honeysuckle	
ID Number:	1
019199 A-D	
NFPA Rating System (Scale 0-4 where 4=	high degree of hazard):
Health=1, Flammability=0, Reactivity=0	
HMIS Rating System (Scale 0-4 where 4=	severe hazard):
Health=1, Flammability=0, Reactivity=0	

	Section II-	Hazardous Ingredients
Ingredient Not Applicable, propr	CAS# rietary formula	
Note: OSHA revoked Circuit Court of Appe 1910.1000 (58 FR 353	als decision (AFL-CIO	limits of January 19, 1989 in response to the 11th v. OSHA) effective June 30, 1993. See CFR
Carcinogen status: No	nt listed as carcinogen	NTP, IARC, or OSHA

The above are define as hazardous by 29 CFR 1910.1200

Section III-Hazards Identification

Note: The acute health effects described below are those which could potentially occur for a finished product. They are based on toxicology information available for each hazardous ingredient and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated. Acute Health Effects:

Inhalation: Unlikely to occur due to the physical properties of the product.

Skin Contact: Repeated or prolonged exposure may cause irritation or sensitization dermatitis in previously exposed individuals

Eye Contact: May cause irritation.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting, and diarrhea.

Chronic Health Effects: None Known

Medical Conditions Recognized as Being Aggravated By Exposure: Pre-existing conditions.

Section IV: Emergency First Aid Procedures

Inhalation: Not likely to occur for finished product. For molten system, move into a well ventilated area...

Skin Contact: Rinse affected area with mild soap and water until no evidence of product remains. Discontinue exposure. Get medical attention if irritation persists.

Eye Contact: Immediately rinse eyes with copious amounts of warm water, occasionally lifting upper and lower lids until no evidence of product remains. Get medical attention if irritation persists.

Ingestion: Treat symptomatically. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilution by rinsing the mouth and giving water or milk is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

Section	V:	Fire	Fighting	Measures
---------	----	------	-----------------	----------

Flammability Classification: Level 0

Flash point: >200 deg COC

Flammable limit (% Vol. in air):

Auto ignition Temperature: N/A

Upper: N/D Lower: N/D

Extinguishing Media: spray, fog or regular foam

Dry Chemical or Carbon dioxide. For larger fires, use water

Unusual Fire and Explosion Hazards:

None

Special Fire Fighting Procedures:

Use NIOSH/MSHA approved, self contained, positive pressure breathing apparatus where this material is involved in a fire.

Section VI-Accidental Release Measures

Steps to be taken in case material is released or spilled (for molten material):
Stop leak if it can be done so without risk. For small spills, take up with sand or other absorbent material and place into clean, dry containers for later disposal. For larger spills, dike far ahead of spill for later disposal. Keep unnecessary people away. Isolate hazard area and deny entry.

Waste Disposal Method:

Observe all federal, state, and local regulations when disposing of this product.

Storage Method:

Store away from incompatible substances. Observe all federal, state and local regulations for storing this product.

Section VII: Handling and Storage

This product is considered generally safe for handling.

Storage: Store in stainless steel tanks or PTE lined fiber drums for storage.

Handling: Wear appropriate protective equipment when handling this material. Safety eye wear, protective gloves. When handling molten majerial, use normal precautionary measures when handling hot liquids.

Section VIII: Exposure Controls, Personal Protection

Respiratory Protection: Air contamination monitoring should be carried out when the generation of dust or aerosols is likely to occur, to assure that the employees are not exposed to harmful concentrations exceeding exposure limits. If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and by jointly approved by NIOSH and MSHA.

Protective Gloves:

Chemical resistant gloves should be worn where repeated or prolonged skin contact may occur.

Eye Protection:

Safety glasses are not generally required during normal use conditions, unless there is a possibility of eye contact.

For Fire Fighting and Other Immediately Dangerous to Life or Health Conditions: Any self-contained breathing apparatus that has a full face piece and is operated in a pressuredemand or other positive pressure mode. Any supplied-air respirator that has a full face piece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus in pressure-demand or other positive-pressure mode.

Ciothing:

Protective clothing may be necessary where exposure exceeds that experienced by consumers.

VeePak, Inc. 708-482-8881

Section IX-Physical Data

Boiling Point: N/D

Vapor Density: N/A Melting Point: 80 deg C

Vapor Pressure: N/A

Evaporation Rate: N/A

% volatile by volume: less than 2%

pH: 5.0-8.0

Viscosity, cps: 10000 - 55000

% Solid material: 12-35%

Specific Gravity, 25 deg C: 0.970 - 1.200

Appearance: viscous colored fluid

Physical State: viscous fluid

Solubility in water: 100% soluble

Section X: Stability and Reactivity Data

Stability:

Stable: X

Unstable:

Incompatibility (materials to avoid):

Strong oxidizers, alkalis, acids.

Hazardous Decomposition Products:

Thermal decomposition may release hazardous and toxic gases.

Hazardous Polymerization:

Has not been reported to occur under normal temperatures and pressures.

Conditions to avoid:

None known

Section XI: Toxicological Information

Acute Toxicological Data: None known Carcinogenicity: no data available Neurotoxicity: no data available

Reproductive effects: no data available

Epidemiology: may cause slight rash or irritation upon long term exposure.

Section XII: Ecological Information

Ecotoxicity: no data available

Environmental Fate: no data available

Physical/Chemical: Product is known to be stable under normal conditions.

Please refer to section IX for product data.

Section XIII: Disposal Consideration

Dispose of this material according to federal, state, and local disposal regulations.

VeePak, Inc. 708-482-8881

Section XIV: Transport Information:

DOT Description: material is not considered hazardous **Proper Shipping Name:** See product description

Identification Number: 019199

Hazard Class: N/A

Section XV: Regulatory Information

Applicable Labeling Regulations: 21 CFR 201

DOT/EPA Hazard Class: Not Applicable

Shipping Name: See product name.

EPA-SARA Title III Section 313: Toxic chemical: not applicable.

Section XVI Other Information

This information contained herein is provided in good faith and is believed to be correct as of the date thereof. However, Bath and Body Works, Inc. makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, Bath and Body Works, Inc. will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature are made hereunder with the respect to the information set forth herein or to the product to which the information refers.

MSDS Creation date: 11/8/00

Revision Date: Revision:

Created By: C. Holloway, VeePak, Inc.